

AMENDMENTS TO THE CLAIMS

Listing of Claims:

1. (previously presented) A stent for a vessel of a human or animal body, consisting essentially of:

a tubular body for expansion from a first condition into a second condition in which it holds the vessel in an expanded state, wherein in the first condition, the stent is configured such that a first part of the stent is disposed radially inwardly relative to a second part of the stent, and wherein in the second condition, at least a portion of the first part of the stent changes its position relative to the second part of the stent from its position in the first condition such that the at least portion of the first part is not disposed radially inwardly relative to the second part of the stent, and wherein the tubular body consists essentially of human or animal tissue of adequate elasticity.
2. (currently amended) The stent of claim 1, wherein ~~a first wall portion~~ the tubular body has a stiffness which is adequate to hold the vessel in the expanded state in the second condition.
3. (currently amended) The stent of claim 1, wherein ~~a first wall portion~~ the tubular body comprises cartilage tissue.
4. (currently amended) The stent of claim 1, wherein ~~a first wall portion~~ the tubular body comprises a tissue which is genetically modified to increase compatibility and/or stiffness.
5. (currently amended) The stent of claim 1, wherein ~~a first wall portion~~ the tubular body comprises a hardenable tissue.
6. (currently amended) The stent of claim 5, wherein at least a portion of ~~a first wall portion~~ the tubular body is provided with at least a first layer which includes at least a

first component of a hardening agent or at least a portion of the ~~first wall portion~~ the tubular body contains at least a first component of a hardening agent.

7. (withdrawn) The stent of claim 6, further comprising :

a second wall portion arranged in the first wall portion at least in the second condition of the stent, wherein the first layer is arranged on the surface which is towards the second wall portion and the second wall portion, on its surface towards the first wall portion , is provided at least in a portion-wise manner with at least a second layer which includes at least a second component of the hardening agent.

8. (previously presented) The stent of claim 6, wherein at least the first component of the hardening agent is enclosed in microcapsules which burst open under the effect of pressure.

9. (withdrawn) The stent of claim 1, wherein a first wall portion is provided at least in a portion-wise manner with at least a third layer which includes at least a first component of an adhesive or contains at least in a portion-wise manner at least a first component of an adhesive, to produce an adhesive join to an element adjoining the first wall portion in the second condition.

10. (withdrawn) The stent of claim 9, wherein a second wall portion is provided which is arranged in the first wall portion at least in the second condition of the stent, wherein the third layer is arranged on the surface towards the second wall portion and the second wall portion is provided on its surface towards the first wall portion, at least in a portion-wise manner, with at least a fourth layer which includes at least a second component of the adhesive.

11. (withdrawn) The stent of claim 9, wherein at least the first component of the adhesive is enclosed in microcapsules which burst open under the effect of pressure.

12. (withdrawn) The stent of claim 1, wherein the first wall portion is formed by a flat element which is rolled up in the manner of sheet at least in the first condition.

13. (withdrawn) The stent of claim 12, wherein the flat element has a length in a peripheral direction of the stent that corresponds substantially at least to a periphery of the first wall portion in the second condition.

14. (previously presented) A combination of a catheter and a stent comprising a stent as set forth in claim 1, and a catheter comprising:

- a distal end region ;
- a holding device for holding the stent , arranged near the distal end region; and
- a sheathing device , also near the distal end region, which is movable relative to the holding device in a longitudinal direction of the catheter for receiving the stent when moving it to an implantation location, characterized in that at least one application device is provided at the sheathing device for applying a medium which is capable of flow to a surface of the stent.

15. (previously presented) The combination of a catheter and a stent of claim 14, wherein the application device further comprises at least one application opening in the sheathing device, which opening is connected to a feed passage for the medium which is capable of flow.

16. (previously presented) A combination of a catheter and a stent comprising a stent as set forth in claim 1, and a catheter comprising:

- a distal end region ;
- a holding device for holding the stent , arranged near the distal end region; and
- a sheathing device, also near the distal end region, which is movable relative to the holding device in a longitudinal direction of the catheter for receiving the stent when moving it to an implantation location, characterized in that the sheathing device receives the stent which has a layer of adhesive coated on its surface towards the sheathing device, which has an anti-adhesion coating on its surface toward the coated stent surface.

17. (previously presented) The combination of a catheter and a stent of claim 14, wherein the holding device further comprises a balloon for expansion of the stent into a second condition in which it holds a vessel in a human or animal body in an expanded state.

18-20. (cancelled)

21. (currently amended) The stent of claim 2, wherein ~~the first wall portion~~ the tubular body comprises cartilage tissue.

22. (currently amended) The stent of claim 2, wherein the ~~first wall portion~~ tubular body comprises a tissue which is genetically modified to increase compatibility and/or stiffness.

23. (currently amended) The stent of claim 3, wherein the ~~first wall portion~~ tubular body comprises a tissue which is genetically modified to increase compatibility and/or stiffness.

24. (currently amended) The stent of claim 21, wherein the ~~first wall portion~~ tubular body comprises a tissue which is genetically modified to increase compatibility and/or stiffness.

25. (currently amended) The stent of claim 2, wherein the ~~first wall portion~~ tubular body comprises a hardenable tissue.

26. (currently amended) The stent of claim 23, wherein the ~~first wall portion~~ tubular body comprises a hardenable tissue.

27. (currently amended) The stent of claim 4, wherein the ~~first wall portion~~ tubular body comprises a hardenable tissue.

28. (currently amended) The stent of claim 24, wherein the ~~first wall portion~~ tubular body comprises a hardenable tissue.

29. (currently amended) The stent of claim 22, wherein the ~~first wall portion~~ tubular body comprises a hardenable tissue.

30. (currently amended) The stent of claim 25, wherein at least a portion of the ~~first wall portion~~ tubular body is provided with at least a first layer which includes at least a first component of a hardening agent or at least a portion of the ~~first wall portion~~ tubular body contains at least a first component of a hardening agent.

31. (currently amended) The stent of claim 26, wherein at least a portion of the ~~first wall portion~~ tubular body is provided with at least a first layer which includes at least a first component of a hardening agent or at least a portion of the ~~first wall portion~~ tubular body contains at least a first component of a hardening agent.

32. (currently amended) The stent of claim 27, wherein at least a portion of the ~~first wall portion~~ tubular body is provided with at least a first layer which includes at least a first component of a hardening agent or at least a portion of the ~~first wall portion~~ tubular body contains at least a first component of a hardening agent.

33. (currently amended) The stent of claim 28, wherein at least a portion of the ~~first wall portion~~ tubular body is provided with at least a first layer which includes at least a first component of a hardening agent or at least a portion of the ~~first wall portion~~ tubular body contains at least a first component of a hardening agent.

34. (currently amended) The stent of claim 29, wherein at least a portion of the ~~first wall portion~~ tubular body is provided with at least a first layer which includes at least a first component of a hardening agent or at least a portion of the ~~first wall portion~~ tubular body contains at least a first component of a hardening agent.

35. (withdrawn) The stent of claim 6, further comprising:

a second wall portion arranged in the first wall portion at least in the second condition of the stent, wherein the first layer is arranged on the surface which is towards the second wall portion and the second wall portion, on its surface towards the first wall portion, is provided at least in a portion-wise manner with at least a second layer which includes at least a second component of the hardening agent.

36. (withdrawn) The stent of claim 30, further comprising:

a second wall portion arranged in the first wall portion at least in the second condition of the stent, wherein the first layer is arranged on the surface which is towards the second wall portion and the second wall portion, on its surface towards the first wall portion, is provided at least in a portion-wise manner with at least a second layer which includes at least a second component of the hardening agent.

37. (withdrawn) The stent of claim 31, further comprising:

a second wall portion arranged in the first wall portion at least in the second condition of the stent, wherein the first layer is arranged on the surface which is towards the second wall portion and the second wall portion, on its surface towards the first wall portion, is provided at least in a portion-wise manner with at least a second layer which includes at least a second component of the hardening agent.

38. (withdrawn) The stent of claim 32, further comprising:

a second wall portion arranged in the first wall portion at least in the second condition of the stent, wherein the first layer is arranged on the surface which is towards the second wall portion and the second wall portion, on its surface towards the first wall portion, is provided at least in a portion-wise manner with at least a second layer which includes at least a second component of the hardening agent.

39. (withdrawn) The stent of claim 33, further comprising:

a second wall portion arranged in the first wall portion at least in the second condition of the stent, wherein the first layer is arranged on the surface which is towards the second wall portion and the second wall portion, on its surface towards the first wall portion, is provided at least in a portion-wise manner with at least a second layer which includes at least a second component of the hardening agent.

40. (withdrawn) The stent of claim 34, further comprising:

a second wall portion arranged in the first wall portion at least in the second condition of the stent, wherein the first layer is arranged on the surface which is towards the second wall portion and the second wall portion, on its surface towards the first wall portion, is provided at least in a portion-wise manner with at least a second layer which includes at least a second component of the hardening agent.

41. (previously presented) The stent of claim 6, wherein at least the first component of the hardening agent is enclosed in microcapsules which burst open under the effect of pressure.

42. (withdrawn) The stent of claim 7, wherein at least the first component of the hardening agent is enclosed in microcapsules which burst open under the effect of pressure.

43. (withdrawn) The stent of claim 39, wherein at least the first component of the hardening agent is enclosed in microcapsules which burst open under the effect of pressure.

44. (withdrawn) The stent of claim 43, wherein the first wall portion is provided at least in a portion-wise manner with at least a third layer which includes at least a first component of an adhesive or contains at least in a portion-wise manner at least a first component of an adhesive, to produce an adhesive join to an element adjoining the first wall portion in the second condition.

45. (withdrawn) The stent of claim 9, wherein a second wall portion is provided which is arranged in the first wall portion at least in the second condition of the stent, wherein the third layer is arranged on the surface towards the second wall portion and the second wall portion is provided on its surface towards the first wall portion, at least in a portion-wise manner, with at least a fourth layer which includes at least a second component of the adhesive.

46. (withdrawn) The stent of claim 10, wherein at least the first component of the adhesive is enclosed in microcapsules which burst open under the effect of pressure.

47. (withdrawn) The stent of claim 44, wherein at least the first component of the adhesive is enclosed in microcapsules which burst open under the effect of pressure.

48. (withdrawn) The stent of claim 45, wherein at least the first component of the adhesive is enclosed in microcapsules which burst open under the effect of pressure.

49. (withdrawn) The stent of claim 48, wherein the first wall portion is formed by a flat element which is rolled up in the manner of sheet at least in the first condition.

50. (withdrawn) The stent of claim 49, wherein the flat element has a length in a peripheral direction of the stent that corresponds substantially at least to a periphery of the first wall portion in the second condition.

51. (previously presented) The combination of a catheter and a stent of claim 16, wherein the holding device further comprises a balloon for expansion of the stent into a second condition in which it holds a vessel in a human or animal body in an expanded state.

52. (previously presented) The combination of a catheter and a stent of claim 15, wherein the holding device further comprises a balloon for expansion of the stent into a

second condition in which it holds a vessel in a human or animal body in an expanded state.

53. (withdrawn) A stent for a vessel of a human or animal body, comprising:
a tubular body adapted to expand from a first condition into a second condition;
and
an adhesive;
wherein in the second condition, the tubular body is adapted to hold the vessel in an expanded state;
and wherein the stent comprises a first wall portion comprising at least one human or animal tissue of adequate elasticity;
and wherein the adhesive is located in such a way as to maintain the stent in the second condition.